NICHO Vanderbilt Assessment Scale: Parent Informant

| Tod | day's Date: | | | | | |
|-----|--|-------|--------------|-----------|------------|------------------------------------|
| Chi | ild's Name: | | | | | |
| Chi | ild's Date of Birth: | | | | | |
| Par | rent's Name: | | | | | |
| Par | rent's Phone Number: | | | | | |
| Wh | rections: Each rating should be considered in the context of what is app nen completing this form, please think about your child's behaviors in the this evaluation based on a time when the child | | | ur child. | | |
| | was on medication Owas not on medication Onot sure? | | | | | |
| Syı | mptoms | Never | Occasionally | Often | Very Often | |
| 1. | Does not pay attention to details or makes careless mistakes with, for example, homework | 0 | 0 | 0 | 0 | |
| 2. | Has difficulty keeping attention to what needs to be done | 0 | 0 | 0 | 0 | |
| 3. | Does not seem to listen when spoken to directly | 0 | 0 | 0 | 0 | |
| 4. | Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand) | 0 | 0 | 0 | • | |
| 5. | Has difficulty organizing tasks and activities | 0 | 0 | 0 | 0 | |
| 6. | Avoids, dislikes, or does not want to start tasks that require ongoing mental effort | 0 | 0 | 0 | 0 | |
| 7. | Loses things necessary for tasks or activities (toys, assignments, pencils, books) | 0 | 0 | 0 | 0 | |
| 8. | Is easily distracted by noises or other stimuli | 0 | 0 | 0 | 0 | |
| 9. | Is forgetful in daily activities | 0 | 0 | 0 | 0 | or Office Use Only 2 & 3s: 0 /9 |
| 10. | Fidgets with hands or feet or squirms in seat | 0 | 0 | 0 | 0 | |
| 11. | Leaves seat when remaining seated is expected | 0 | 0 | 0 | 0 | |
| 12. | Runs about or climbs too much when remaining seated is expected | 0 | 0 | 0 | 0 | |
| 13. | Has difficulty playing or beginning quiet play activities | 0 | 0 | 0 | 0 | |
| 14. | Is "on the go" or often acts as if "driven by a motor" | 0 | 0 | 0 | 0 | |
| 15. | Talks too much | 0 | 0 | 0 | 0 | |
| 16. | Blurts out answers before questions have been completed | 0 | 0 | 0 | 0 | |
| 17. | Has difficulty waiting his or her turn | 0 | 0 | 0 | 0 | |
| 18. | Interrupts or intrudes in on others' conversations and/or activities | 0 | 0 | 0 | _ | or Office Use Only 2 & 3s; 0 /9 |

| Symptoms (continued) | | | ., | | | | |
|--|-------------------|--------------|-------|-------------|-----------------|-------------|-------------------------------------|
| Symptoms (continued) 19. Argues with adults | | | Never | Occasionall | | Very Ofter | • |
| 20. Loses temper | | | 0 | 0 | | 0 | e: |
| 21. Actively defies or refuses to go along with adults' reques | te or rules | | 0 | 0 | | 0 | 6 |
| 22. Deliberately annoys people | ts of Tules | | 0 | 0 | 0 | 0 | • |
| 23. Blames others for his or her mistakes or misbehaviors | | | 0 | 0 | 0 | | - |
| | | | 0 | 0 | | 0 | 4: |
| 24. Is touchy or easily annoyed by others | | | 0 | O | 0 | 0 | • : |
| 25. Is angry or resentful | | | 0 | 0 | 0 | 0 | For Office Use Only |
| 26. Is spiteful and wants to get even | | | 0 | O | O | 0 | 2 <u>& 3s: 0 /8</u> |
| 27. Bullies, threatens, or intimidates others | | | 0 | 0 | 0 | 0 | i i |
| 28. Starts physical fights | | | 0 | 0 | 0 | 0 | |
| 29. Lies to get out of trouble or to avoid obligations (ie, "con | s" others) | | 0 | 0 | 0 | 0 | |
| 30. Is truant from school (skips school) without permission | | | 0 | 0 | 0 | 0 | |
| 31. Is physically cruel to people | | | 0 | 0 | 0 | 0 | |
| 32. Has stolen things that have value | | | 0 | 0 | 0 | 0 | • |
| 33. Deliberately destroys others' property | | | 0 | 0 | 0 | 0 | • |
| 34. Has used a weapon that can cause serious harm (bat, kni | fe, brick, gun) | | 0 | 0 | 0 | 0 | € |
| 35. Is physically cruel to animals | | | 0 | 0 | 0 | 0 | 5. |
| 36. Has deliberately set fires to cause damage | | | 0 | 0 | 0 | 0 | ≝ |
| 37. Has broken into someone else's home, business, or car | | | 0 | 0 | 0 | 0 | €5 |
| 38. Has stayed out at night without permission | | | 0 | 0 | 0 | 0 | € |
| 39. Has run away from home overnight | | | 0 | 0 | 0 | 0 | • |
| 40. Has forced someone into sexual activity | | | 0 | 0 | 0 | 0 | For Office Use Only 2&3s: 0 /14 |
| 41. Is fearful, anxious, or worried | | | | | | | |
| 42. Is afraid to try new things for fear of making mistakes | | | 0 | <u>O</u> | | | €. |
| 43. Feels worthless or inferior | | | 0 | 0 | 0 | 0 | • |
| 44. Blames self for problems, feels guilty | | | 0 | 0 | 0 | | 92 |
| 45. Feels lonely, unwanted, or unloved; complains that "no or | ne loves him o | r her" | 0 | 0 | 0 | 0 | £ |
| 46. Is sad, unhappy, or depressed | 10 10 10 111111 0 | i iici | 0 | 0 | 0 | 0 | s s |
| 47. Is self-conscious or easily embarrassed | | | O | 0 | 0 | | For Office Use Only 2 & 3S: 0 /7 |
| | | | | | Somewhat | | L 0 33. U// |
| Performance | Excellent | Abo Avera | | Average | of a Problem | Problematic | |
| 48. Reading | 0 | 0 | | 0 | 0 | 0 | |
| 49. Writing | 0 | 0 | | 0 | 0 | 0 | For Office Use Only |

| Performance | Excellent | Above Average | Average | of a Problem | Problematic | |
|---|-----------|------------------|---------|-----------------|-------------|--|
| 48. Reading | 0 | 0 | 0 | 0 | 0 | E . |
| 49. Writing | 0 | 0 | 0 | 0 | | For Office Use Only 4S: <u>0</u> /3 |
| 50. Mathematics | O | 0 | 0 | 0 | | For Office Use Only 55:/3 |
| 51. Relationship with parents | 0 | 0 | 0 | 0 | 0 | |
| 52. Relationship with siblings | 0 | 0 | 0 | 0 | 0 | |
| 53. Relationship with peers | O | 0 | 0 | 0 | 0 | For Office Use Only 45: 0 /4 |
| 54. Participation in organized activities (eg, teams) | 0 | 0 | 0 | 0 | | For Office Use Only 5s:O/4 |

Other Conditions

| Tie | Behaviors: To the best of your knowledge, please indicate if this child displays the follow | ing behavi | ors: |
|-----|---|---------------|--|
| 1, | Motor Tics: Rapid, repetitive movements such as eye blinking, grimacing, nose twitching body jerks, or rapid kicks. | ı, head jerk | s, shoulder shrugs, arm jerks, |
| | ■ No tics present. ■ Yes, they occur nearly every day but go unnoticed by most people. | Yes, no | oticeable tics occur nearly every day. |
| 2. | Phonic (Vocal) Tics: Repetitive noises including but not limited to throat clearing, cough barking, grunting, or repetition of words or short phrases. | ning, whistli | ing, sniffing, snorting, screeching, |
| | ■ No tics present. ■ Yes, they occur nearly every day but go unnoticed by most people. | Yes, no | oticeable tics occur nearly every day. |
| 3. | If YES to 1 or 2, do these tics interfere with the child's activities (like reading, writing, wal | king, talkin | g, or eating)? No Yes |
| Pr | evious Diagnosis and Treatment: To the best of your knowledge, please answer the follow | wing questi | ons: |
| 1. | Has your child been diagnosed with a tic disorder or Tourette syndrome? | No | Yes |
| 2. | Is your child on medication for a tic disorder or Tourette syndrome? | ☐ No | Yes |
| 3. | Has your child been diagnosed with depression? | No | Yes |
| 4. | Is your child on medication for depression? | □No | Yes |
| 5. | Has your child been diagnosed with an anxiety disorder? | □ No | Yes |
| 6. | Is your child on medication for an anxiety disorder? | No | Yes |
| 7. | Has your child been diagnosed with a learning or language disorder? | □ No | Yes |
| Со | mments: | | |
| | | | |
| l | | | |
| ı | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| L | | | |

| Total number of questions scored 2 or 3 in questions 1—9: Total number of questions scored 2 or 3 in questions 10—18: Total number of questions scored 2 or 3 in questions 19—26: | Ö |
|---|----|
| Total number of questions scored 2 or 3 in questions 19—26: | |
| | 0 |
| | |
| otal number of questions scored 2 or 3 in questions 27—40: | 0_ |
| Total number of questions scored 2 or 3 in questions 41—47: | 0 |
| Total number of questions scored 4 in questions 48—50: | 0 |
| Total number of questions scored 5 in questions 48—50: | 0 |
| Total number of questions scored 4 in questions 51—54: | 0 |
| Total number of questions scored 5 in questions 51—54: | 0 |

Adapted from the Vanderbilt Rating Scales developed by Mark L. Wolraich, MD.

The recommendations in this publication do not indicate an exclusive course of treatment or serve as a standard of medical care. Variations, taking into account individual circumstances, may be appropriate. Original document included as part of Caring for Children With ADHO: A Resource Tookkit for Clinicians, 2nd Edition, Copyright @ 2012 American Academy of Pediatrics, All Rights Reserved. The American Academy of Pediatrics does not review or endorse any modifications made to this document and in no event shall the AAP be table for any such changes.







